

Nr. Crt.	Stare dosar	Serie dosar	Număr dosar
1	Validat	FSPLbs	1
2	Validat ne-certificat	FSPLbs	2
3	Validat	FSPLbs	6
4	Validat	FSPLbs	7
5	Validat ne-certificat	FSPLbs	8
6	Validat ne-certificat	FSPLbs	11
7	Validat	FSPLbs	12
8	Validat ne-certificat	FSPLbs	16
9	Validat ne-certificat	FSPLbs	17
10	Validat ne-certificat	FSPLbs	18
11	Validat ne-certificat	FSPLbs	19
12	Validat	FSPLbs	20
13	Validat	FSPLbs	21
14	Validat ne-certificat	FSPLbs	22
15	Validat	FSPLbs	26
16	Validat	FSPLbs	31
17	Validat	FSPLbs	32
18	Validat	FSPLbs	35
19	Validat	FSPLbs	36
20	Validat	FSPLbs	37
21	Validat	FSPLbs	38
22	Validat	FSPLbs	41
23	Validat ne-certificat	FSPLbs	42
24	Validat ne-certificat	FSPLbs	44
25	Validat	FSPLbs	45
26	Validat	FSPLbs	46
27	Validat	FSPLbs	47
28	Validat	FSPLbs	48
29	Validat ne-certificat	FSPLbs	49
30	Validat ne-certificat	FSPLbs	51
31	Validat ne-certificat	FSPLbs	53
32	Validat ne-certificat	FSPLbs	54
33	Validat ne-certificat	FSPLbs	59
34	Validat	FSPLbs	60
35	Validat ne-certificat	FSPLbs	61
36	Validat ne-certificat	FSPLbs	63
37	Validat	FSPLbs	66
38	Validat ne-certificat	FSPLbs	67
39	Validat	FSPLbs	68
40	Validat ne-certificat	FSPLbs	70
41	Validat ne-certificat	FSPLbs	71
42	Validat ne-certificat	FSPLbs	72
43	Validat ne-certificat	FSPLbs	73
44	Validat ne-certificat	FSPLbs	74
45	Validat	FSPLbs	78
46	Validat ne-certificat	FSPLbs	79

47	Validat ne-certificat	FSPLbs	82
48	Validat ne-certificat	FSPLbs	84
49	Validat ne-certificat	FSPLbs	86
50	Validat	FSPLbs	87
51	Validat	FSPLbs	88
52	Validat ne-certificat	FSPLbs	91
53	Validat ne-certificat	FSPLbs	96